

**TENDER FOR**  
Proposed Furnishing Work for  
**UCO BANK,**  
Existing premises at PALDI Branch,  
Ahmedabad

Date of issuing tender : 23 - 01 - 2026 to 03 - 02 - 2026.

Date of receiving back : 03 - 02 - 2026 up to 5.00 pm at the General Administration  
duly filled in tenders Department, 1<sup>st</sup> Floor, UCO Bank ( Z. O. ),  
Ahmedabad.

Date and Time of opening : 03 - 02 - 2026 at 5.30 p.m. at the General Administration  
the tenders received Department, UCO Bank ( Z. O. ), Ahmedabad.

Tender Fee : Rs 500.00 ( Five Hundred Only )

Tender issued To :

OWNER

UCO BANK  
ZONAL OFFICE,  
UCO BHAVAN, ASHRAM ROAD,  
AHMEDABAD - 380 006.

**MESSRS VIRAT V. THAKORE ARCHITECTS, URBAN DESIGNERS AND VALUERS**

‘SHEEL’, 98/1, SAMASTA SOCIETY, NARAYANNAGAR ROAD, PALDI, AHMEDABAD - 7, M: 9825012645

## NOTICE OF INVITATION TO TENDER

Sealed tenders on item rate basis are invited from enlisted contractors for furnishing work of the existing premises at UCO Bank, Paldi Branch, Ahmedabad.

Estimated Cost of Work : Rs. 8,91,000.00

Earnest Money : Rs 8,900.00 by crossed demand draft dischargeable / payable at Ahmedabad and drawn in favour of UCO Bank (Zonal Office), Ahmedabad.  
**( THOSE VENDORS WHO ARE REGISTERED UNDER MSME ACT. NEED NOT PAY EARNEST MONEY DEPOSIT )**

Time of Completion : 45 days

Time, Date and place of submission of Tender : On or before 5.00 pm, Tuesday & date : 03-02-2026  
General Administration Department, UCO Bank ( Z. O.), Ahmedabad.

Time and Date of opening of Tender : 05.30 pm, Tuesday & date : 03-02-2026

The Bank will not be bound to accept the lowest tender and reserves the right to accept or reject any or all the tenders without assigning any reason whatsoever.

UCO Bank ( Zonal Office )  
UCO Bhavan, Ashram Road,  
Ahmedabad - 380 006.

To,  
The Asst. General Manager, ( GAD )  
UCO Bank (Zonal Office),  
UCO Bhavan, Ashram Road,  
Ahmedabad - 380 001.

Sub : Proposed furnishing work for the existing premises at Paldi Branch, Ahmedabad.

Sir,

I / We the undersigned have carefully gone through and clearly understood the plans, specifications, schedule of quantities, general conditions and conditions of appendix for the above mentioned work and having VISITED & EXAMINED THE SITE of the proposed work, do hereby tender to execute and complete the entire work in accordance with the priced bill of quantities and / or as given in the specifications of each works attached hereto.

It is understood that the lowest or any tender will not necessarily be accepted and that you are not bound to assign any reason of the same.

I / We agree to keep our offer open for three months from the date of opening.

Having examined the drawings, schedule of quantities relating to the proposed Tender for furniture work and having visited and examined the site of the proposed works and having acquired the tender invited by you, we the undersigned hereby offer to execute, complete and maintain the proposed work in strict accordance with the specifications described in the Tender at the item rates quoted by us in the Tender for the sum Rs

We undertake to complete and deliver the total work within 21 days from the date of issue of work order from you or date of getting possession of the site whichever is later.

We have enclosed herewith crossed demand draft bearing No : \_\_\_\_\_ dtd : \_\_\_\_\_  
for **Rs 8,900.00** favoring UCO Bank (Z. O.), Ahmedabad and drawn on \_\_\_\_\_  
towards Earnest Money Deposit and understand that this earnest money paid by us shall be forfeited by you in  
case of our failure in commencing the work within three days of issue of work order.

Name and address of the contractor

Signature & Stamp of Contractor

Place :

Date :

ARTICLES OF AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_, 2026 between UCO Bank ( Zonal Office), Ahmedabad ( here in after called the OWNER ) on One part whose registered office is situated at UCO Bhavan, Ashram Road, Ahmedabad and

Whereas the Owner is desirous of carrying out various types of furnishing works for the existing premises at UCO Bank, Paldi Branch, Ahmedabad.

And whereas the Contractor has supplied the owner with a fully priced copy of the said bills of quantities (which copy is herein after referred to as “The Contract Bills”) and whereas the said drawings (herein after referred to as “the contract drawings”) and the contract bills have been signed by or on behalf of the parties here to : and whereas the contractor has deposited the sum of Rs. \_\_\_\_\_ (Rupees Only) with the owner for the due performance of this Agreement.

1. For the construction herein after mentioned the Contractor will upon and subject to the conditions annexed carry out and complete the work shown upon the Contract Drawings and described by or referred to in the Contract Bills and in the said Conditions.
2. The owner will pay the Contractor the sum of Rs. ( Rupees Only) herein after referred to as “ THE CONTRACT SUM” or such other sum as shall become payable hereunder at the times and in the manner specified in the said Conditions.
3. The term the Architect in the said Conditions shall mean the said VIRAT V. THAKORE or in the event of his death or ceasing to be the Architect for the purpose of this Contract, such other person as the owner shall nominate for that purpose, not being a person to whom the Contractor shall object for reasons considered to be sufficient by an arbitrator appointed in accordance with the said Conditions. Provided always that no person subsequently appointed to be the Architect under this contract shall be entitled to disregard or overrule any Certificate or opinion or decision or approval or instruction given or expressed by the Architect for the time being.
4. The said Condition and appendix there to shall be read and construed as forming part of this Agreement, and the parties here to shall respectively abide by, submit themselves to the conditions and perform the agreement on their parts respectively in such conditions contained.

Address :

## GENERAL RULES AND INSTRUCTIONS FOR THE GUIDANCE OF TENDERERS

1. Tenders are hereby invited on behalf of UCO Bank ( Zonal Office ), Ahmedabad for furnishing work to be executed at existing premises and ATM at UCO Bank, Paldi Branch, Ahmedabad. at estimated cost of Rs. 8,91,000.00
2. Contract documents consisting of the furniture layout, complete specifications, the schedule of quantities of the various classes of work to be done, and the set of conditions of contract to be complied with by the persons whose tenders may be accepted, and which will also be found in the form of tenders, is forwarded herewith.  
  
The site for the work is available for inspection.
3. Duly filled in Tender document along with Earnest money deposit amounting to Rs. 8,900.00 in the form of Crossed Bank Draft only drawn in favour of UCO Bank, Zonal Office, Ahmedabad, placed in a sealed cover super scribed "Tender for Furnishing work of UCO Bank (Paldi Branch ) Ahmedabad and addressed to the General Administration Department, UCO Bank ( Z. O.), Ahmedabad will be received up to 5.00 pm, Tuesday & date : 03-02-2026 and will be opened at 5.30 p. m. on Tuesday & date : 03-02-2026.
4. The time allowed for the carrying out of the work will be 45 days from the day of receiving written orders to commence work or getting possession of site whichever is later.
5. The contractors should quote in figures as well as in words the rate, and amount tendered by them. The amount for each item should be worked out and the requisite totals given.
6. The contractor, whose tender is accepted will be required to furnish security deposit @ 2.00 % of the accepted tender amount (inclusive of the earnest money paid earlier ) for the due fulfillment of his contract.
7. The EMD of the contractor whose tender is accepted, shall be forfeited in full incase he does not remit the Initial Security Deposit within the stipulated period or start the work by the stipulated date mentioned in the award letter.
8. The acceptance of a tender will rest with the General Administration Department, UCO Bank ( Z. O. ), Ahmedabad which does not bind itself to accept the lowest tender, and reserves to itself the authority to reject any or all of the tenders received without the assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.  
  
The bank reserves the right to accept the tender in full or in part and the tenderer shall have no claim for revision of rates or other conditions of his tender is accepted in parts.
9. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
10. All rates shall be quoted on the proper form of the tender alone.
11. An item rate tender containing percentage below / above will be summarily rejected. However, where a tenderer voluntarily offers a rebate for payment within a stipulated period, this may be considered.
12. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Employer/Architects shall be communicated to the Employer.
13. Special care should be taken to write the rates in figures as well as in words and the amounts in the figures only, in such a way that interpolation is not possible. The total amount should be written both in figures and in words. Incase of figures, the words "Rs." should be written before

the figure of rupees and words “P” after the decimal figures, e. g. Rs. 2.15p. & in case of words, the word “Rupees” should precede and the word “Paise” should be written at the end, unless the rate is in whole rupees and followed by the words “only” it should invariably be up to two decimal places. While quoting the rate in schedule of quantities, the word “only” should be written closely following the amount and it should not be written in the next line.

14. The bank does not bind itself to accept the lowest or any tender and reserves to itself the right of accepting the whole or any part of the tender. The tenderer shall be bound to perform the same at the rate quoted.
15. **The rates quoted in the tender shall include all charges of scaffolding, lift, any tools and plants Railway freight, labour conditions a fluctuation in the rates, excise duty, sales tax and any other taxes or expenditure for carrying out the work but exclude the GST. The GST at the prevailing rate shall be calculated separately and added in the final bill by the contractor.**
16. The tender for works shall remain open for acceptance for a period of three month from the date of opening of tenders. If any tenderer withdraws his tender before the said period, then the Bank shall be at liberty to forfeit Earnest Money paid along with the tender.
17. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may and had/have tendered for the same work. Failure to observe this condition would render tenders of the contractors tendering as well as witnessing the tender liable to summary rejection.
18. It will be obligatory on the part of the tenderer to tender and sign and tender documents for all the component parts and that, after the work is awarded, he will have to enter into an agreement for each component with the Competent Authority in the Bank.

## GENERAL CONDITIONS OF CONTRACT

Except where provided for in the description of the individual items in the schedule of quantities and in the specifications and conditions laid down hereinafter and in the drawings, the work shall be carried out as per standard specifications and under the direction of Employer / Architect.

### 1. Interpretation

In construing these conditions, the specifications, the schedule of quantities, tender and agreement, the following words shall have the meaning herein assigned to them except where the subject or context otherwise requires.:

- i) Employer :The term Employer shall denote UCO Bank ( Z. O.), Ahmedabad with their head office at UCO Bhavan, Ashram Road, Ahmedabad.
- ii) Architect/Consultants : The term Architects shall mean M/s. Virat V. Thakore, 'Sheel', 98/1, Samasta Society, Narayannagar Road, Ahmedabad -380 007 or in the event of his/their ceasing to be the Architects for purpose of this contract such other person/s as the Employer shall nominate for the purpose. The Architect with the approval of the Bank may engage a local Architect/ Consulting Engineer for supervision and co-ordination of the work at the site. He will be considered a representative of the Architect. The Bank may also engage a Project Management Consultant for the supervision of the work. He will be designated by the term P. M. C. and work as Employer's agent at the site.
- iii) Contractor : The term contractor shall mean \_\_\_\_\_  
(Name and address of the contractor ) and his/ their heirs, legal representatives, assigns and successors.
- iv) Site : The site shall mean the site where the works are to be executed .
- v) Drawings : The work is to be carried out in accordance with drawings specifications, the schedule of quantities and any further drawings which may be supplied or any other instruction, which may be given by the employer during the execution of the work.

All drawings relating to work given to the contractor together with a copy of schedule of quantities are to be kept at site and the Employer/Architects/PMC shall be given access to such drawings or schedule of quantities whenever necessary.

In case any detailed drawings are necessary contractor shall prepare such detailed drawings and/or dimensional sketches therefore and have it confirmed by the Employer/Architects/PMC as case may be prior to taking up such work.

The contractor shall ask in writing for all clarifications on matters occurring anywhere in drawings, specifications and schedule of quantities or to additional instructions at-least 3 days ahead from the time when it is required for implementation so that the Employer may be able to give decision thereon.

- vi) "The Works" shall mean the work or works to be executed or done under this contract.
- vii) "Act of Insolvency" shall mean any act as such as defined by the Presidency Towns Insolvency Act or in Provincial Insolvency Act or any amending statutes.
- viii) "The Schedule of Quantities" shall mean the schedule of quantities as specified and forming part of this contract.
- ix) "Priced Schedule of Quantities" shall mean the schedule of quantities duly priced with the accepted quoted rates of the contractor.

## **2. Scope**

The work consists of furnishing work to be executed for UCO Bank ( Paldi Branch )Ahmedabad in accordance with the “drawings” and “Schedule of Quantities”. It includes furnishing all materials, labour, tools and equipment and management necessary for and incidental to the construction and completion of the work. All work, during its progress and upon completion, shall conform to the lines, elevations and grades as shown on the drawings furnished by the Employer /Architects. Should any detail essential for efficient completion of the work be omitted from the drawings and specifications it shall be the responsibility of the contractor to inform the Employer/Architects and to furnish and install such detail with Employer’s/Architect’s concurrence, so that upon completion of the proposed work the same will be acceptable and ready for use.

Employer or his agent (PMC)/Architects may in their absolute discretion issue further drawings and/or written instructions, details ,directions and explanations, which are, hereafter collectively referred to as “The Employer’s/Architect’s instructions” in regard to:

- a) The variation or modification of the design quality or quantity of works or the additions or omission or substitution of any work.
- b) Any discrepancy in the drawings or between the schedule of quantities and/or drawings and /or specification.
- c) The removal from the site of any defective material brought thereon by the contractor and the substitution of any material thereof.
- d) The demolition removal. and/or re-execution of any work executed by the contractors.
- e) The dismissal from the work of any persons employed thereupon.
- f) The opening up for inspection of any work covered up.
- g) The rectification and making good of any defects under clauses hereinafter mentioned and those arising during the maintenance period (retention period).

The contractor shall forthwith comply with and duly execute any work comprised in such Employer’s or his agent/Architect’s instructions, provided always that verbal instructions, directions and explanations given to the contractor’s or his representative upon the worries by the Employer or his agent/Architects shall ,if involving a variation, be confirmed in writing to the contractor/s within three days. No works for which rates are not specifically mentioned in the priced schedule of quantities, shall be taken up without written permission of the Employer or his agent/Architects. Rates of items not mentioned in the priced schedule of quantities shall be fixed by the employer in consultation with the Architects as provided in Clause “variation”. Regarding all factory made products for which ISI marked products are available, only products bearing ISI marking shall be used in the work.

## **3. Tenderer shall visit the Site**

Intending tenderer shall visit the site and make himself thoroughly acquainted with the local site condition, nature and requirements of the works, facilities of transport condition, effective labour and materials, access and storage for materials and removal of rubbish. The tenderer shall provide in their tender for cost of carriage, freight and other charges as also for any special difficulties and including police restriction for transport etc. for proper execution of work as indicated in the drawings. The successful tenderer will not be entitled to any claim of compensation for difficulties faced or losses incurred on account of any site condition which existed before the commencement of the work or which in the opinion of the Employer or his agent/Architects might be deemed to have reasonably been inferred to be so existing before commencement of work.

## **4. Tenders**

The entire set of tender paper issued to the tenderer should be submitted fully priced and also signed on the last page together with initials on every page. Initial/signature will indicate the acceptance of the tender paper by the tenderer.



The schedule of quantities shall be filled in as follows :

- i) The “Rate” column to be legibly filled in ink in both English figures and English words.
- ii) Amount column to be filled in for each item and the amount for each sub head as detailed in the “Scheduled of Quantities”.
- iii) All corrections are to be initialed.
- iv) The “Rate Column” for alternative items shall be filled up.
- v) The “Amount” column for alternative items of which the quantities are not mentioned shall not be filled up.

No modifications, writings or corrections can be made in the tender papers by the tenderer, but may at his option offer his comments or modifications in a separate sheet of paper attached to the original tender papers.

The Employer reserves the right to reject the lowest or any tender and also to discharge any or all of the tenders for each section or to split up and distribute any item of work to any specialist firm or firms without assigning any reason.

The tenderers should note that the tender is strictly on the item rate basis and their attention is drawn to the fact that rates for each and every item should be correct, workable and self supporting .If called upon by the Employer/Architects detailed analysis of any or all the rates shall be submitted. The Employer/Architects shall not be bound to recognize the contractor’s analysis.

The works will be paid for as “measured work “ on the basis of actual work done and not as “lump sum” contract, unless otherwise specified.

All item of work described in the schedule of quantities are to be deemed and paid as complete works in all respects and details including preparatory and finishing works involved, directly, related to and reasonably detectable from the drawings, specifications and schedule of quantities and no further extra charges will be allowed in this connection. In the case of lump-sum charges in the tender in respect of any item of works, the payment of such items of work will be made for the actual work done on the basis of lump-sum charges as will be assessed to be payable by the Employer/Architects.

The Employer has power to add to, omit from any work as shown in drawings or described in specifications or included in schedule of quantities and intimate the same in writing but no addition, omission or variation shall be made by the contractor without authorization from the Employer. No variation shall vitiate the contract.

The tenderer shall note that his tender shall remain open for consideration for a period of three months from the date of opening of the tender.

## **5. Agreements**

The successful contractor may be required to sign agreement as may be drawn up to suit local conditions and shall pay for all stamps and legal expenses, incidental thereto.

## **6. Government and Local Rules**

The contractor shall confirm to the provisions of all local Bye-laws and Acts relating to the work and to the Regulations etc., of the Government and Local Authorities and of any company with whose system the structure is proposed to be connected . The contractor shall give all notices required by said Act, Rules, Regulations and Bye-laws etc. and pay all fees payable to such authority/authorities for execution of the work involved. The cost, if any, shall be deemed to have included in his quoted rates, taking into account all liabilities for licenses, fee for footpath encroachment and restorations etc, and shall indemnify the Employer against such liabilities and shall defend all actions arising from such claims or liabilities.

## **7. Quantity of Work to be Executed**

The quantities shown in the schedule of quantities are intended to cover the entire new structure indicated in the drawings but the Employer reserves the right to execute only a part or the whole or any excess thereof without assigning any reason therefore.

## **8. Other Persons Engaged by the Employer**

The employer reserves the right to execute any part of the work included in this contract or any work which is not included in this contract by other Agency or persons and contractor shall allow all reasonable facilities and use of his scaffolding for the execution of such work. The main contractor shall extend all cooperation in this regard.

## **9. Earnest Money and Security Deposit**

The tenderer will have to deposit an amount of Rs. 8,900.00 in the form of Bank Draft drawn in favour of UCO Bank ( Z.O.), Ahmedabad at the time of submission of tender as an Earnest Money. The Employer is not liable to pay any interest on the Earnest Money. The Earnest Money of the unsuccessful tenderers will be refunded without any interest soon after the decision to award the work is taken or after the expiry of the validity period of the tender.

The successful tenderer to whom the contract is awarded will have to deposit as Initial Security Deposit a further sum to make up 2% of the value of the accepted tender including the Earnest money. The Initial Security Deposit will have to be paid within 3 days from the date of acceptance of tender, failing which the Employer at his discretion may revoke the letter of acceptance and forfeit the Earnest Money Deposit furnished along with the tender. The Initial Security Deposit will be refunded to the contractor without any interest within fourteen days after the issue of the certificate of virtual completion by architect. Apart from the Initial Security Deposit made as above, Retention Money shall be deducted from progressive running bills @ 8% of the gross value of each running bill. The retention amount will be refunded to the contractor within 14 days after completion of Defects Liability period. Provided that he satisfactorily carries out all the work and attends to all defects in accordance with the conditions of the contract .No interest is allowed on retention money.

## **10. Contractor to Provide Everything Necessary.**

The contractor shall provide everything necessary for the proper execution of the work according to the intent and meaning of the drawings, schedule of quantities and specifications taken together whether the same may or may not be particularly shown or described therein provided that the same can reasonably be inferred there from and if the contractor finds any discrepancies therein he shall immediately and in writing, refer the same to the Employer/Architects/PMC whose decision shall be final and binding.

The contractor shall supply , fix and maintain at his own cost , for the execution of any work, all tools, tackles, machineries and equipments and all the necessary centering, scaffolding, staging, planking, timbering, strutting, shoring, pumping, fencing, boarding, watching and lighting by night as well as by day required not only for the proper execution and protection of the said work but also for the protection of the public and safety of any adjacent roads, streets, walls, houses, buildings, all other erections, matters and things and the contractor shall take down and remove any or all such centering, scaffolding, planking ,timbering ,strutting, shoring etc., as occasion shall be required or when ordered so to do, and shall fully reinstate and make good all matters and things disturbed during the execution of works to the satisfaction of the Employer/Architects.

The contractor shall at all times give access to workers employed by the Employer or any men employed on the buildings and to provide such parties with proper sufficient and if required, special scaffolding, hoists and ladders and provide them with water and lighting and leave or make any holes, grooves, etc, in any work, where directed by the employer as may be required to enable such workmen to lay or fix pipes, electrical wiring, special fittings etc. The quoted rates of the tenderers shall accordingly include all these above mentioned contingent works.

## **11. Extension of Time & Progress Chart.**

1. **Extension of Time :** If in the opinion of the Employer/Architects/PMC the works be delayed (a) by reason of any exceptionally inclement weather, or (b) by reason of instructions from the Employer in consequence of proceedings taken or threatened by or disputes, with adjoining or neighboring owners or (c) by the works, or delay, of other contractors or tradesmen engaged or nominated by the Employer and not referred to in the specification or (d) by reason of authorized extra and additions or (e) by reason of any combination of workmen or strikes or lock out affecting any of the building trades or (f) from other causes which the Employer may consider being beyond the control of the contractor, the Employer at the completion of the time allowed for the contract shall make fair and reasonable extension of time for completion in respect there fore .In the event of the Employer failing to give possession of the site upon the day specified above the time of completion shall be extended suitably.

Incase of such strikes or lockouts, as are referred to above, the contractor shall, immediately give the Employer, written notice thereof. Nevertheless, the contractor shall use his best endeavors all that to prevent delay, and shall do all that may be reasonably required, to the satisfaction of the employer to proceed with the works and on his doing so that it will be ground of consideration by the Employer for an extension of time as above provided. The decision of the Employer as to the period to be allowed for an extension of time for completion hereunder (which decision shall be final and binding on the contractor) shall be promulgated at the conclusion of such strike or lock out and the employer shall then, in the event of an extension being granted, determine and declare the final completion date. The provision in clause 15 with respect to payment liquidated damages shall, in such case, be read and construed as if the extended date fixed by the Employer were substituted for and the damage shall be deducted accordingly.

2. **Progress of Work:** During the period of construction the contractor shall maintain proportionate progress on the basis of Programmed Chart submitted by the contractor immediately before commencement of work and agreed to by the Employer/Architects. Contractor should also include planning for procurement of scarce material well in advance and reflect the same in the Programmed Chart so that there is no delay in completion of the project.

## **12. Liquidated Damages**

Should the work be not completed to the satisfaction of the Employer/Architects within the stipulated period, the contractor shall be bound to pay to the Employer a sum of **Rs 1,270.00** per day by way of liquidated damages and not as penalty during which the work remains uncompleted or unfinished after the expiry of the completion date.

**Storage of materials:** The contractor shall arrange for the proper storage and adequate protection of the materials etc, and other work that may be executed on the site including the tools and materials of sub-contractors and remove same on completion.

## **13. Clearing Site and Setting out Works**

The site shown on the plan shall be cleared of all obstructions, surplus materials and rubbish of all kinds on completion of all works.

The contractor shall set out the works and shall be responsible for the true and perfect setting out of the work and for the correctness of the positions, levels, dimensions and alignment of all parts thereof. If at anytime, any error shall appear during the progress of any part of the work, the contractor shall at his own expenses rectify such error, if called upon to the satisfaction of the Employer. The contractor shall further set out the works to the alternative positions at the site until one is finally approved and the rates quoted in his tender should include for this and no extra on this account will be entertained.

## **14. Access to representatives of owner and architect**

Any authorized representative of the Employer shall at all reasonable times have free access to the works and/or to the workshops, factories or other places where materials are being prepared or constructed for the work and also to any place where the materials are lying or from where they are being obtained, and the contractor shall give every

facility to the Bank or their representatives necessary for inspection and examination and test of the materials and workmanship. Except the representatives of the Employer no person shall be allowed at any time without the written permission of the Employer.

#### **15. Materials, Workmanship, Samples, Testing of Materials**

All the works specified and provided for in the specifications or which may be required to be done in order to perform and complete any part thereof shall be executed in the best and most workmanlike manner with materials of the best and approved quality of the respective kinds in accordance with the particulars contained in and implied by the specifications and as represented by the drawings or according to such other additional particulars, and instructions as may from time to time be given by the Employer/Architects during the execution of the work, and to their entire satisfaction.

During the inclement weather the contractor shall suspend the work as the Employer/Architects may direct and shall protect from injury all work when in course of execution. Any damage (during constructions) to any of the work for any reasons due to rain, storm, or neglect of contractor shall be rectified by the contractor in an approved manner at no extra cost.

#### **16. Removal of Improper Work**

The Employer shall during the progress of the work have power to order in writing from time to time the removal of the works which in opinion of the Employer/Architects are not in accordance with specification or instructions or any work executed with materials or workmanships not in accordance with the drawings and specifications or instructions. In case the contractor refuses to comply with the order the Employer shall have the power to employ and pay other agencies to carry out the work and all expenses consequent thereon or incidental thereto as certified by the Employer/Architects shall be borne by the contractor or may be deducted from any money due to or that may become due to the contractor. No certificate which may be given by the Architects shall relieve the contractor from his liability in respect of unsound work or bad materials.

#### **17. The contractor shall comply with the provision of all labour legislation including the requirement of**

- a) The payment of Wages Act
- b) Employer's Liability Act
- c) Workmen's Compensation Act
- d) Contract Labour ( Regulation & Abolition ) Act, 1970 and Central Rules 1971.
- e) Apprentices Act 1961.
- f) Minimum wages Act
- g) Any other Act or enactment relating thereto and rules framed there under from time to time.

The contractor shall keep the Employer saved harmless and indemnified against claims if any of the workmen and expenses as may be incurred by the Employer in connection with any claim that may be made by any workmen.

#### **18. Dismissal of Workmen**

The contractor shall on the request of the Employer immediately dismiss from works any person employed thereon by him, who may in the opinion of the Employer be unsuitable or incompetent or who may misconduct himself. Such discharges shall not be the basis of any claim for compensation or damages against the Employer or any of their officer or employee.

#### **19. Assignment**

The whole of the works included in the contract shall be executed by the contractor and the contractor shall not directly or indirectly transfer, assign or underlet the contract or any part, share or interest therein nor, shall take a new partner, without written consent of the Employer and no subletting shall relieve the contractor from the full and entire responsibility of the contract or from active superintendence of the work during their progress.

## **20. Damage to Persons and Property Insurance Etc**

The contractor shall be responsible for all injury to the work or workmen to persons, animals or things and for all damages to the structural and/or decorative part of property which may arise from the operations or neglect of himself or of any sub-contractor or of any sub-contractor's employees, whether such injury or damage arise from carelessness, accident or any other cause whatsoever in any way connected with the carrying out of this contract. The clause shall be held to include inter-alia, any damage to buildings whether immediately adjacent or otherwise, and any damage to roads, streets, footpaths or ways as well as damages caused to the buildings and the works forming the subject of this contract by rain, wind or other inclemency of the weather. The contractor shall indemnify the Employer and hold harmless in respect of any claim made in respect of injury or damage under any acts of compensation or damage consequent upon such claim.

The contractor shall reinstate all damage of every sort mentioned in this clause, so as to deliver the whole of the contract works complete and perfect in every respect and so as to make good or otherwise satisfy all claims for damages to the property or third parties.

The contractor shall effect the insurance necessary and indemnify the Employer entirely from all responsibility in this respect. The insurance must be placed with a company approved by the Employer and must be effected jointly in the name of the contractor and the Employer and the policy lodged with the later. The scope of insurance is to include damage or loss to the contract itself till this is made over in a complete state. Insurance is compulsory and must be effected from the very initial stage. The contractor shall also be responsible for anything which may be excluded from damage to any property arising out of incidents, negligence or defective carrying out of this contract.

The Employer shall be at liberty and is hereby empowered to deduct the amount of any damages, compensations, costs, charges and expenses arising or accruing from or in respect of any such claim or damages from any sums due or to become due to the contractor.

## **21. Insurance**

Unless otherwise instructed the contractor shall insure the works and keep them insured until the virtual completion of the contract against loss or damage by fire and/or earthquake, flood. The insurance must be placed with a company approved by the Employer, in the joint names of the Employer and the contractor for such amount and for any further sum if called to do so by the employer, the premium of such further sum being allowed to the contractor as an authorized extra.

The contractor shall deposit the policy and receipt for premiums paid with the Employer within 5 days from the date of issue of work order unless otherwise instructed. In default of the contractor insuring as provided above, the Employer on his behalf may so insure and may deduct the premiums paid from any money due, or which may become due to the contractor. The contractor shall as soon as the claim under the policy is settled or the work reinstated by the Insurance Company should they elect to do so, proceed with due diligence with the completion of the works in the same manner as though as the fire has not occurred and in all respects under the conditions of the contract. The contractor in case of rebinding or reinstatement after fire shall be entitled to extension of time for completion as the Employer may deem fit.

## **22. Accounts Receipts & Vouchers**

The contractor shall, upon the request of the Employer furnish them with all the invoices, accounts, receipts and other vouchers that may be required in connection with the works under this contract. If the contractor shall use materials less than what he is required under the contract, the value of the difference in the quantity of the materials he was required and that he actually used shall be deducted from his dues. The decision of Employer shall be final and binding on the contractor as to the amount of materials the contractor is required to use for any work under this contract.

## **23. Payments**

No interim payments shall be made against the work executed. Only one and final bill shall be paid on completion of all works mentioned in the bills of quantity after making deduction of retention money as stated earlier and TDS as applicable.

## **24. Variation /Deviation**

The price of all such additional items/non-tendered items will be worked out on the basis of rates quoted for similar items in the contract wherever existing or on engineering rate analysis based on prevalent fair prices of labour, material and other components as required. The tender rates, shall hold good for any increase or decrease in the tendered quantities.

## **25. Substitution**

Should the contractor desire to substitute any materials and workmanship, he/they must obtain the approval of the Employer / Architects in writing for any such substitution well in advance.

## **26. Defects after Completion**

The contractor shall make good at his own cost and to the satisfaction of the Employer all defects, shrinkage, settlements or other faults which may appear within 12 months after completion of the work. In default the Employer may employ and pay other persons to amend and make good such damages, losses and expenses consequent thereon or incidental thereto shall be made good and borne by the contractor and such damages, loss and expenses shall be recoverable from him by the Employer or may be deducted by the employer, in lieu of such amending and making good by the contractor, deduct from any money due to the contractor a sum equivalent to the cost of amending such work and in the event of the amount retained thus together with any expenses the Employer may have incurred in connection therewith.

## **27. Termination Of Contract by Employer**

If the contract being a company go into liquidation whether voluntary or compulsory or being a firm shall be dissolved or being an individual shall be adjudicated insolvent or shall make an assignment or a composition for the benefit of the greater part, in number of amount of his creditors or shall enter into a Deed or arrangement with his creditors, or if the Official Assignee in insolvency , or the Receiver of the contractor in insolvency, shall repudiate the contract, or if a receiver of the contractor's firm appointed by the court shall be unable, within fourteen days after notice to him requiring him to do so, to show to the reasonable satisfaction of the employer that he is able to carry out and fulfill the contract, and if so required by the employer to give reasonable security therefore , or if the contractor shall suffer any payment under this contract to be attached by or on behalf of and of the creditors of the contractor, or shall assign, charge or encumber this contract or any payments due or which may become due to the contractor, there under ,or shall neglect or fail to observe and perform all or any of the acts matters of things by this contract, to be observed and performed by the contractor within three clear days after the notice shall have been given to the contractor in manner hereinafter mentioned requiring the contractor to observe or perform the same or shall use improper materials or workmanship in carrying on the works, or shall in the opinion of the employer not exercise such due diligence and make such due progress as would enable the work to be completed within due time agreed up on, and shall fail to proceed to the satisfaction of the employer after three clear days notice requiring the contractor so to do shall have been given to the contractor as hereinafter mentioned, or shall abandon the contract, then and in any of the said cases ,the Bank may not withstanding previous waiver determine the contract by a notice in writing to the effect as hereinafter mentioned, but without thereby effecting the powers of the employer of the obligations and liabilities of the contractor the whole of which shall continue in force as fully as if the contract, had not been so determined and as if the works subsequently executed had been executed by or on behalf of the contractor (without thereby creating any trust in favour of the contractor) further the employer or his agent, or servants, may enter upon and take possession of the work and all plants, tools, scaffolding, sheds, machinery, steam and other power, utensils and materials lying upon premises or the adjoining lands or roads and sell the same as his own property or may employ the same by means of his own servants and workmen in carrying on and completing the works or by employing any other contractors or other persons or person to complete the works, and the contractor shall not in any way interrupt or do any act, matter of thing to prevent or hinder such other contractors or other persons or person employed from completing and finishing or using the materials and plants for the works when the works shall be completed, or as soon thereafter as conveniently may be, the employer shall give notice in writing to the contractor to remove his surplus materials and plants and should the contractor fail to do so within a period of 14 days after receipt by him the employer may sell the same by Public Auction and shall give credit to the contractor for the amount so realized. Any expenses or losses incurred by the employer in getting the works carried out by other contractors shall be adjusted against the amount payable to the contractor by way of selling his tools and plants or due on account of work carried out by the contractor prior to engaging other contractors or against the Security Deposit.

## **28. Arbitration**

All disputes or differences of any kind whatsoever which shall at any time arise between the parties hereto touching or concerning the works or the execution or maintenance thereof of this contract or the rights touching or concerning the works of the execution of maintenance thereof of this contract or the construction remaining operation or effect thereof or to the rights or liabilities of the parties or arising out of or in relation thereto whether during or after determination foreclosure or branch of the contract( other than those in respect of which the decision of any person is by the contract expressed to be final and binding) shall after written notice by either party to the contract to the other of them and to the Employer hereinafter mentioned be referred for adjudication to a sole Arbitrator to be appointed as hereinafter provided.

For the purpose of appointing the sole Arbitrator referred to above the Employer will send within thirty days of receipt of the notice, to the contractor a panel of three names of persons who shall be presently unconnected with the organization for which the work is executed.

The contractor shall on receipt of the names as aforesaid, select any one of the persons name to be appointed as a sole Arbitrator and communicate his name to the Employer within thirty days of receipt of the names. The Employer shall thereupon without any delay appoint the said person as the Sole Arbitrator. If the contractor fails to communicate such selection as provided above within the period specified, the Competent Authority shall make the selection and appoint the selected person as the Sole Arbitrator.

If the Employer fails to send to the contractor the panel of three names as aforesaid within the period specified, the contractor shall send to the Employer a panel of three names of persons who shall be unconnected with either party. The Employer shall on receipt of the named as aforesaid select any one of the persons names and appoint him as the Sole Arbitrator .If the Employer fails to select the person and appoint him as the sole Arbitrator within 30 days of the receipt of the panel and inform the contractor accordingly, the contractor shall be entitled to appoint one of the persons from the panel as the Sole Arbitrator and communicate his name to the Employer.

If the Arbitrator so appointed is unable or unwilling to act or resigns his appointment or vacates his office due to any reason whatsoever another Sole Arbitrator shall be appointed as aforesaid.

The work under the Contract shall, however, continue during the arbitration proceedings and no payment due or payable to the contractor shall be withheld on account of such proceedings.

The Arbitrator shall be deemed to have entered on the reference on the date he issued notice to both the parties fixing the date of the first hearing.

The Arbitrator may from time to time, with the consent of the parties, enlarge the time for making and publishing the award.

The Arbitrator shall give a separate award in respect of each dispute or difference referred to him. The Arbitrator shall decide each dispute in accordance with the terms of the contract and give a reasoned award. The venue of arbitration shall be such place as may be fixed by the Arbitrator in his sole discretion.

The fees, if any, of the Arbitrator shall, if required to be paid before the award is made and published , be paid half and half by each of the parties. The cost of the reference and of the award including the fees, if any, of the Arbitrator who may direct to and by whom and in what manner, such costs or any part thereof shall be paid any may fix or settle and amount of costs to be so paid.

The award of the Arbitrator shall be final and binding on both the parties.

Subject to aforesaid the provisions of the Arbitration Act 1992 or any statutory modification or re-enactment thereof and the rules made there under and for the time being in force, shall apply to the arbitration proceeding under this clause.

The Employer and the contractor hereby also agree that arbitration under clause shall be a condition precedent to any right to action under the contract with regard to the matters hereby expressly agreed to be so referred to arbitration.

29. The quantities mentioned in the tender are provisional. Contractor shall be paid as per the actual work carried out at the site.
30. Measurements of the vertical partitions shall be considered from the finished floor level to the bottom of the false ceiling.
31. Contractor must open the containers of the paint in presence of Bank/Architects representative.
32. Contractor must carry out all the work at his workshop. Only erection of work, finishing, polishing, painting etc. shall be permitted at the site.
33. Any damage caused by the contractor to the newly laid flooring and the fully glazed shutters provided in the premises shall be recovered from him.
34. Measurement of false ceiling shall be considered only in sq. meter / sq. feet area as the unit of measurement may be.



## APPENDIX

- |     |                                       |   |   |
|-----|---------------------------------------|---|---|
| 1.  | Earnest Money Deposit                 | : | Rs. 8,900.00 by way of crossed d/d only   |
| 2.  | Initial Security Deposit (ISD)        | : | 2 % of tender amount inclusive of earnest money Deposit to be refunded back without interest upon issuance of virtual completion certificate of work by architect.  |
| 3.  | Defects Liability Period              | : | 12 months from the date of issue of virtual completion certificate and handing over the site to bank by contractor.   |
| 4.  | Date of commencement of work          | : | Within three days of issue of Letter of Intent / Work Order or getting possession of site which ever is later.  |
| 5.  | Stipulated Period for completion      | : | 45 days   |
| 6.  | Amount of Interim Certificate         | : | Nil, Only one and final payment shall be made   |
| 7.  | Retention Money                       | : | 8 % of amount of each running bill.   |
| 8.  | Rate of liquidated damages            | : | Rs. 1,270.00 per day  |
| 9.  | Terms of Rate                         | : | The rates shall be for supplying and installing furniture work at site and should be inclusive of all taxes including works contract tax if any but excluding GST which shall be paid by owner as applicable. |
| 10. | Period of validity of Tender          | : | Three months from the date of opening tender.   |
| 11. | Period of honouring final certificate | : | 15 working days from date of Architect's certificate.   |
| 12. | Release of Retention Money            | : | Payable without interest within 14 days after completion of defects liability period.   |

## SPECIFICATION OF MATERIALS

All the material to be used shall be from the list of ISI approved Brand. Any deviation from this shall be got approved from Architect / Owner, the contractor shall submit samples of material used for verifications and produce Bill in original.

1.     SAMPLES                         :     After receipt of the bids but prior to award of the contract, bidder shall, upon notification from owner submit samples of materials he intends to use.  
The owner shall reserve the right to evaluate the sample with regard to the specification before award of work. Samples as directed by the Architect / Owner for various items shall be prepared / brought for approval without any cost.
2.     PLYWOOD                        :     Plywood should be Boiling Water Resistant as well Termite and Powder proof.
3.     GLASS                           :     Glass shall be clear float glass / Toughened glass as directed.
4.     TIMBER                          :     Wherever specified shall be teak wood from Central Province ( C.P. ) / Ghana best quality. It shall be well seasoned, uniform in colour, free from sap wood, waters, free from large and loose knote, cracks, shakes and other defects. All wood shall be treated for anti termite treatment with two coats of solingnum paint and two coats of fire retardant paint.
5.     HARDWARE                       :     Hinges, Handles, Stoppers, Stays etc. wherever required shall be stainless steel of approved shape and size only.
6.     UPHOLESTRY                     :     Fabric or upholstery material wherever called for shall be of the colour, texture and manufacture approved by the Architect / Owner.
7.     WORKMANSHIP                   :     The work involved calls for high standard of workmanship and shall be carried out and completed in the best possible manner keeping modern trend of artistic finishes and designs in view so as to make the entire work / furnishing aesthetic looking, keeping in harmony with other furnishing in the area.
8.     DIMENSIONS & JOINTS           :     The dimensions mentioned in the schedule of quantities and drawings are approximate. The contractor may suggest small deviations in the dimensions so as to make the individual items as also the entire job functionally sturdy, comfortable as well as aesthetic in look. The final decision regarding sizes of various members and working dimensions etc. will however to be taken at the time of approval of sample. The contractor should take actual dimensions available at site before fabrications. The joints shall be perfect and sturdy and shall preferably be machine made and assembled with approved quality synthetic glue. The structural design of different members and also the items as a whole shall be sturdy and capable of withstanding the various loads likely to be subjected to in day to day use.

9.     ADDITIONAL MEMBERS AND FIXTURES     :     The contractor shall provide additional members wherever necessary for providing door, openings, cut-outs, etc. to facilitate fixing of light fixtures, plug points, air-conditioning supply and return grilles etc. The work includes cost of fittings and fixtures & fixing the various items in position in floors, walls, ceilings etc. in the building in accordance with the drawings or as directed by the Architect / Owner. It will be also necessary to make holes, Chases, etc. in floors, walls, ceilings, RCC etc. as may be required for fixing the partition. The contractor shall allow for such provisions in his quoted rate. It will be deemed that while quoting rates the contractor has taken into account all foreseeable contingencies which will include making good disturbed floors, walls, ceilings etc. to their original condition.
10.    POLISHING                                 :     All visible wooden members shall have lacquer polish, other surfaces may have french polish as directed complete.

## SCHEDULE OF APPROVED MAKES OF MATERIALS FOR FURNITURE WORKS

1.	Glass	:	Modiguard float / Indo Asian / Gujarat Guardian Ltd. Or as approved by Bank / Architect.
2.	Block board ( B. W. R.)	:	19mm block board (IS : 1659 ) of Century/Green/ Austin or equivalent.
3.	Ply wood ( B. W. R. )	:	6mm/ 12mm/ 19mm Ply wood ( IS : 710 ) Century/Green/ Austin or equivalent.
4.	Polish	:	N. C. clear liquor polish / Duco / Asian Melamine or as approved by Bank / Architect.
5.	Plastic Paint	:	Berger Paints India Ltd./ Asian Paints Ltd. or equivalent
	Ceiling Paint	:	Berger Paints India Ltd./ Asian Paints Ltd. or equivalent
6.	Adhesives	:	Fevicol SH. or as approved by bank /architect.
7.	Hardware	:	Efficient gadget / Erl Bihari or as approved by Bank / Architect.
8.	Teak wood	:	C. P. Teak (First class) or only seasoned timber to be used or as approved by Bank / Architect.
	- For External Use	:	1 <sup>st</sup> Quality imported Ghana teak with 90% in brown color without knots, joints and bend.
	- For Internal Use	:	1 <sup>st</sup> Quality C. P. Teak wood without knots, joints and bend.
	- For Wooden Molding	:	1 <sup>st</sup> Quality of either Ghana Teak wood or C. P. Wood.
	- For Leaping / Border	:	1 <sup>st</sup> Quality C. P. Wood with 90 % in brown colour without knots, joints and bend wood.
9.	Laminates	:	1.5 mm thick for horizontal & 1 mm thick for vertical surfaces ( IS 2046)  Steamed Anegre 366 of Century “OR” Regal Pear 1213 of Sunmica for all vertical surfaces of tables, counters, partitions etc.  Sugar maple 1758 of Formica / Sunmica for Table top, counter top and all horizontal surfaces.  Goncalo Alvez 1769 of Sunmica “OR” Wenge 1274 of Formica for skirting of tables, counters and partitions.
10.	Door Closer	:	Everite / Hardwin or as approved by bank / architect.

- |     |                          |   |   |
|-----|--------------------------|---|---|
| 11. | False Ceiling            | : | Gyp Board and ARM strong ceiling tiles  |
| 12. | Floor Spring             | : | Efficient Gadget.   |
| 13. | Locks                    | : | Godrej / Efficient Gadget / Ebco  |
|     | - Multipurpose Set Locks | : | Godrej / EBCO - Efficient Gadgets - EGL or as approved by Bank / Architect.             |
|     | - Mortise Locks          | : | 6 level Yale brand or as approved by Bank / Architect.                                  |
| 14. | Alluminium Section       | : | Jindal Alluminium Ltd., / Hindustan Alluminium Ltd. or as approved by Bank / Architect. |

Note : 1. ARCHITECT reserves the right to select the approved make from the above list and to make changes ( Add or Delete names of other makes) in this list with consent of Bank.

2. Vendor should quote the rates of items considering First Make only.

**BILLS OF QUNATITY FOR FURNISHING WORK TO BE CARRIED OUT  
AT UCO BANK ( PALDI BRANCH ), AHMEDABAD.**

ITEM NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs.	PER	AMOUNT Rs.
-------------	----------------------	----------	-------------	-----	---------------

**1.0 SINGLE WINDOWS :**

Made out of 19mm BWP ply wood ( IS 710 ) for the working top, key board shelf, vertical sides, storage unit and the front apron. 450 mm wide drawer box containing three drawers of equal height on the right side as well as 300mm x 400mm CPU stand on the left side shall be provided. Customer hand rest 300mm wide and 300mm high made of 19mm thick BWP ply wood for the vertical surface and 12mm thick clear float glass for the top shall be provided. All exposed visible surfaces of counter shall be finished with 1 mm thick laminate of approved make and shade for the horizontal top and 1.0mm thick laminate of approved make and shade for the vertical surfaces. The key board drawer edges shall be provided with 6mm thick teak wood beading polished natural. The rest of the exposed inside surfaces of counter, drawers, cupboard etc. shall be finished with the french polish.  
Height and width of the writing top are 750mm and 850mm each. Height of the customer hand rest shall be 1050 mm from the finished floor level.  
Compartments shall be made in 12mm thick BWP ply wood in the top drawer of S. W. In respective sizes for keeping currency notes of different denominations.  
The drawers and shutters shall be provided with Godrej multi-purpose locks, metal telescopic channels and s.s. finished oxidized handles and handwares. A foot rest made of hard wood ( 100mm x 37.50mm section ) shall be provided.  
Size : 1500mm x 850mm x 750mm htx 1no.,

1.50  
rmt  
1.00  
rmt

**2.0 OFFICERS AND CLERK COUNTER :**

Made out of 19mm thick BWP ply wood ( IS 710 ) for the working top, key board shelf, vertical sides, storage unit and the front apron. 450mm wide drawer box with one 450mm x 150mm drawer on top, removable shelf and cupbaords with shutter on the right side as well as 300mm x 450mm CPU stand on the left side shall be provided. All exposed visible surfaces of the counter shall be finished with 1.0mm thick laminate of approved make and shade for the horizontal top and 1.0mm thick laminate of approved make and shade for the vertical surfaces. The key board drawer edge shall be provided with teak wood beading polished natural. The rest of the exposed inside surfaces of counter drawer box, cupboards etc. shall be finished with french polish. The drawer and cupboard shutters shall be provided with Godrej multi purpose locks, metal telescopic channels and s.s finished oxidized handles and hardware. A footrest made of hard wood ( 100mm x 38mm cross section ) shall be provided.  
12mm thick clear float glass of approved make 380 mm tall in the centre and 280mm at the ends with edge polished shall be fixed on top of the counter with help of teak wood post ( 40mm x 40mm ) polished natural.  
Size : 1350mm x 750mm x 750mm x 4nos

5.40  
rmt  
1.00  
rmt

**3.0 PARTITION FOR SINGLE WINDOW :**

Providing and fixing 75mm thick and 1050mm tall wooden partition in the bottom portion and 150 mm wide and 450mm high wooden partition from 1050mm to 1800mm height. 50mm x 25mm x 1.50mm thick Aluminium members placed at 600mm c/c

ITEM NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs.	PER	AMOUNT Rs.
	<p>both ways and 6mm thick BWP ply wood of approved make on both sides finished with 1mm thick laminate of approved make and shade.</p> <p>Top &amp; sides of the partition shall be finished with 6mm thick teakwood beading polished natural. 12mm thick clear toughened glass shall be fixed with help of s. s. 'D' clip from 1050mm height to 1500mm between 150mm wide partitions. Door shutters 750mm x 1800mm x 1no with the same specifications as above shall be provided in the back side partition with 50mm x 25mm x 1.50mm thick Aluminium members. including s. s. hinges with countersunk s. s. screws, approved make night latch lock, s. s. handles, door stoppers etc. complete as directed.</p> <p>Size : 2460mm x 1800mm x 1no</p>	4.43 smt		1.00 smt	
<b>4.0</b>	<b>FRONT PARTITION FOR SINGLE WINDOW :</b>				
	<p>12mm thick toughened glass of approved make with the edges polished shall be provided and fixed with help of s. s. 'D' clip with side partitions from customer hand rest to 1500mm height. One 200mm dia semi circular opening shall be provided in the centre of the glass at customer hand rest level for cash transaction.</p> <p>Size :- 1500mm x 750mm x 1no.</p>	1.13 smt		1.00 smt	
<b>5.0</b>	<b>FULL HEIGHT &amp; LOW HEIGHT PARTLY GLAZED WOODEN PARTITION FOR MANAGER CHAMBER :</b>				
	<p>Providing and fixing partition 75mm thick having 50mm x 25mm x 1.50mm thick Aluminium members placed at 600mm c/c distance both ways and 6mm thick BWP ply wood on both sides finished with 1 mm thick laminate of approved make and shade. Top and sides of the partitions shall be finished with teak wood beading polished in natural shade. 5 mm thick clear float glass shall be provided from 900mm to 2100mm above the wooden portion.</p> <p>Total height of partition - 2400mm</p> <p>Total height glass - 1200mm</p> <p>Skirting and bands shall be provided in 1mm thick laminate of approved make and shade as directed by architect.</p> <p>Door shutters 750mm x 2100mm x 1no with the same specifications as above shall be provided.</p> <p>Including s. s. hinges with approved make night latch lock, s. s. handles, door stoppers, door closer, Godrej lock etc. complete as directed.</p> <p>Manager chamber Size : 3530mm x 2400mm x 1no, 2570mm x 2400mm x 1no., 900mm x 2100mm x 1no</p> <p>Low ht. partly glazed partition on counters : 0.75 m x 1.05m x 2nos</p>	20.50 smt		1.00 smt	
<b>6.0</b>	<b>FULL HEIGHT OPAQUE WOODEN PARTITION :</b>				
	<p>Providing and fixing partitions with door shutters 75mm thick having 50mm x25mm x 1.50mm thick Aluminium members placed at 600mm c/c distance both ways and 6mm thick BWP ply wood on both sides finished with 1 mm thick laminate of approved make and shade. Top and sides of the partitions shall be finished with 6mm thick teak wood beading polished in natural shade.</p> <p>Door shutters with glass slit ( 230mm x 100 mm ) 900mm x 210mm x 1no, 450mm x 2100mm x 1no ( Nr. Staircase ) 750mm x 2100mm x 1no ( near toilet )</p>	37.00 smt		1.00 smt	

ITEM NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs.	PER	AMOUNT Rs.
	with the same specifications as above shall be provided. Including s. s. hinges with approved make night latch lock, s. s. handles, door stoppers, door closer, Godrej lock etc. complete as directed.				
	Skirting and bands shall be provided in 1mm thick laminate of approved make and shade as directed by architect. Size : Nr. Toilets 4150mmx3180mmx1 no., 2100 x 3180mm x 1no, Staircase door : 1350mm x 3180mm x 1no ( Doors : 0.90 + 0.45 x 2.10 m ) Wooden partition above entrance door : 2550mm x 450mm x1 no Flap Gate : 0.73m x 0.90m x 1 no				
	ATM machine covering partition : 2080mm x 3180mm x 1no 830mm x 3180mm x1 no				
7.0	12mm thick Glass partition with side wooden posts on staff tables. Size : 1350mm x 300mm x 4 nos, 750mm x 300mm x 2 nos	2.10 smt		1.00 smt	
<b>8.0</b>	<b>MANAGER TABLE WITH SIDE CREDENZA :</b>  Made out of 19mm thick BWP ply wood for writing top, vertical sides, front apron, cupboard, cpu stand etc. of the table and the side credenza. 6mm thick BWP ply wood for back of side credenza. Top, front and sides of the table and side credenza shall be finishd with 1mm thick laminate of approved make and shade. The rest of the exposed inside surfaces of the table, drawers, cupboards as well as inside & back of side credenza shall be finished with french polish. The height of the writing top and credenza top shall be 750mm. The drawer box shall have two drawers of 450mm x 180mm x 600mm size and a cupboard.  The keyboard shelf shall be 600mm x 600mm size. The side credenza shall have a drawer box of 180mm height on top and a cupboard with openable shutters and one shelf provided below. All drawers of cupboard and side credenza shall be provided with metal telescopic channels of approved make, Godrej multipurpose lock and s. s. finished hardware like handles, cabinet hinges etc. of approved make. Manager table - 1800mm x 850mm x 750mm x 1no. Side credenza - 990mm x 450mm x 750mm x 1no Skirting and bands shall be provided in 1mm thick laminate of approved make and shade as directed by architect.	1.00 no.		1.00 no.	
<b>9.0</b>	<b>NOTICE BOARD :</b>  Made of 50mm x 38 mm sal wood /chil wood frame with 12mm thick soft board fixed on 6mm thick BWP ply wood of approved make and finished with approved shade velvet cloth. The edge of the frame shall be finished with teak wood beading polished in natural shade. Size : 0.90 x 0.75m.	1.00 no.		1.00 no.	
<b>10.0</b>	<b>WORKING HOURS BOARD :</b>  Made out of 4 mm thick transperant acrylic sheet and letters painted on it in approved coloure. Size : 450mm x 600mm x 1no.	1.00 no.		1.00 no.	



ITEM NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs.	PER	AMOUNT Rs.
<b>11.0</b>	<b>BROCHURES DISPLAY BOARD :</b>				
	Providing and making acrylic brochures display board. Size : 450mm x 900mm x 1no.	1.00 no.		1.00 no.	
<b>12.0</b>	<b>WRITING DESK WITH SHELF :</b>				
	Size : 600mm x 350mm Made out of 12 mm thick clear float glass with beweled edges for top and vertical partitions, screwed with BWP ply finished with 1.0mm thick lamiate of approved make and shade for bottom and back. Teak wood beading polished natural on edges etc. complete and fixed on wall at 1.05m height.	1.00 no		1.00 no	
<b>13.0</b>	<b>FULLY GLAZED ENTRANCE DOOR &amp; FIXED PARTITION :</b>				
	Providing & Fixing fully glazed main door at the main entrance and ATM. The Item includes fixing of 12 mm th. Toughened glass with the help of top patch & bottom patch fittings. The door will have patch lock, pti pivot, floor spring & 400 mm long handles both sides, (Approved Make), fixed with the glass by making necessary cutouts & holes. The glass edges shall be polished on all sides. The entire door shall be erected in complete line & level. The door will have S. S. brush finished Signage for pull & push.  The patch fittings (Approved make) shall be of aluminium with s.s. matt finish coating & signage shall be of kitch make. The entire door, complete in all respect should be installed in positions as req.  Banks Logo shall be embossed on the glass door. Door Size : 1200 x 2100 mm x 1 no.  Front partition : 450mm x 2100mm x 1no.	2.52 smt 0.95 smt		1.00 smt 1.00 smt	
<b>14.0</b>	<b>PLAIN GYPSUM BOARD FALSE CEILING :</b>				
	Providing and fixing 12.50 mm thick Gyp Board false ceiling fixed at 2.40m height in banking hall including two coats of flat paint of approved make and shade etc. complete.	55.00 smt		1.00 smt	
<b>15.0</b>	Providing and Fixing of Armstrong Mineral Fibre Accoustical Suspended ceiling system with FINE FISSURED (MICRO LOCK) EDGE TILES With Armstrong Silhouette Exposed Grid. Using Silhouette Grid with Fine Fissured microlook Edge Tiles. With necessary Angles at junctions as per company specifications as directed complete. Rate includes necessary cut outs for A/C Grills, diffusers light fixtures complete as directed. <b>Cutout for light and Diffusers will be deducted from area. Only Tiles cost will be deducted for payment purpose.</b> After completion of work, certificate from Company to be obtained and submitted with bill that work is carried out as per their specifications.	30.00 smt		1.00 smt	
<b>16.0</b>	<b>WOODEN CUPBOARDS :</b>				
	Made out of 19mm thick BWP ply wood ( IS 710 ) of approved make for top sides, shelves and the front shutters, 6mm thick BWP ply wood of approved make for the back. All exposed surfaces for the cupboards shall be finished with 1.0mm thick laminate of approved make and shade. All inside	6.10 smt		1.00 smt	


ITEM NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs.	PER	AMOUNT Rs.
	surfaces shall be finished with french polish. The front shutters shall be provided with Godrej lock, s.s. hinges and handles etc. complete. The bottom shelf of the cupboard shall be provided minimum 750mm above the finish floor level. Manager : 2650mm x 400mm x 750mm Back side of officer : 2000mm x 400mm x 900mm 1320mm x 400mm x 900mm Cash cabin : 1500mm x 400mm x 7500mm				
<b>17.0</b>	<b>PANELING WITH LAMINATE FINISH :</b>				
	Providing & Fixing wooden paneling for columns, beams etc. made out of 50mm x 25mm x 1.50mm thick Aluminium member kept 450mm c/c apart both ways, covered with 6mm thick BWF ply. All exposed surfaces of the paneling shall be finish with 1.00mm thk laminate of approved make and shade. Columns : 930mm x 2400mm x 1 no, 750mm x 2400mm x 2nos 1980mm x 2400mm x 1 no, 1650mmx 2400mm x 1no	15.00 smt		1.00 smt	
	PANELING WITH PAINT Same specification as above but finishing with paint. windows & ventilators Size : 1800mm x 600mm x 2nos, 1800mm x 1200mm x 1no Windows patta : Vertical patta manager chamber - 0.32m x 1.20 x 1no, Horizontal patta on AC machine fixed - 0.90 x 0.30 x 1 Horizontal patta on AC machine fixed - 1.45 x 0.30 x 1	5.60 smt		1.00 smt	
<b>18.0</b>	<b>PLY WOOD PANELING WITH BLUE LAMIANTE PATT A BELOW FALSE CEILING ON WALLS :</b>				
	Providing and fixing 12mm thick BWP ply wood paneling in form of 0'-4" high band finished with 1mm thick laminate of approved make and shade on all exposed sides on walls underneath gypsum board false ceiling.  3.68 + 2.89 + 2.92 + 3.66 + 3.30 + 0.71 + 2.23 + 2.95 + 1.42 = 23.76	23.76 rmt		1.00 rmt	
<b>19.0</b>	<b>ELECTRICAL PANEL CUPBOARD :</b>				
	Providing and fixing the sides, top and front shutter for electrical panel board area. Shutter ( openable and partly louvered ) made out of teak wood frame work, 12mm thick Hilux board and 1mm thick laminate finish on front, brass hinges, handles etc. and as per the details. Size : 1780 x 550 x 2400 H.	4.27 smt		1.00 smt	
<b>20.0</b>	<b>ALUMINUM COMPOSITE PANEL IN FRONT FACADE:</b>	22.00 smt		1.00 smt	
	Providing and fixing 3 mm thick aluminium composite panel of Flexi Bond / Euro Bond with 0.25 mm foil with 50mm x 25mm x 1.20 mm thick aluminium hollow section tray system with minimum 20 mm bending with silicon Dow Coming of GE seal proof - ACP of approved indian make complete as per selection and direction of Architect for three sides of atm room & rolling shutters for the building. This item will be carried out as per manufacturer specifications. Rate shall also include trap door shutter including hinges stopers etc. complete as directed.  Outside columns : 600 x 2550mm x 2nos Rolling shutter box : 2550mm x 450mm x 1no, 2550 mmx 300 mmx 2 nos, 450mm x 300mm x 2 nos Outside beam bottom ACP paneling 10.00m x 1.50m				

ITEM NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs.	PER	AMOUNT Rs.
21.0	Supplying and fixing Roller Blind Blackout of approved make with selected fabric of approved design and shade. (Basic Price of Rs 135=00 Per Sq. Ft Excluding GST) Windows : 1800mm x 1350mm x 1 no, 1450mm x 1350mm x 1no, 900mm x 1350mm x 1no	6.25 smt		1.00 smt	
22.0	<b>UPS ROOM PARTITION :</b>  Providing and fixing partition using 50mm x 25mm x 1.50mm thick Aluminium members in a maximum grid of 2'-0" x 2'-0" fixing 8 mm thick Hilux board on both sides, out side laminate & inside plastic paint of approved make & shade.  Size : 1050mm x 1350mm x 1no, 1870mm x 1350mm x 1no, 450mm x 1350mm x 1no	4.60 smt		1.00 smt	
23.0	<b>Providing and fixing UPS door shutter with Aluminium Frame and both side Hilux sheet</b>  Providing and fixing door shutter made out of 50x25x1.5mm thick aluminium framing at maximum 0.45 cm C/C both way with 8 mm thick Hilux Board on both side with painting. Providing 6 mm thick clear float glass vision panel secured with 12 mm thick steam beach beading. Steam beach beading of size 31x 12 mm should be placed around shutter edges, aluminium stoper patti on frame including 3 Nos 5" long SS hinges with countersunk SS screws, Approved make Dead Lock, S.S Handles, Door stoppers, doorstopper to be fixed as per drawing & instructions. All beadings should be polished.  Size of door : 750mm x 1350x 1no	1.01 smt		1.00 smt	
24.0	Providing and Fixing Frosted polyster film of 3M (Scotchcal 7725 - 324) or equivalent make over glass surface as per drawing & direction with all labour & materials to the satisfaction of the Architect/Bank as per manufacturer's specification. No deduction will be made for any cutting in the film.  Entrance door & fixed partition : 1650mm x 1200mm x 1no	2.00 smt		1.00 smt	
25.0	<b>PAINTING WORK</b>				
[a]	P/A ACRYLIC EMULSION PAINT (PLASTIC PAINT) Providing and applying (with rollers only) Acrylic emulsion paint of required shed and approved make on new/old work in two or more coats to give an even shed including the preparation of surface for painting, applying FULL primer and putty, at all heights complete as per manufacturer's specification and as directed.	375.00 smt		1.00 smt	
[b]	P/A SYNTHETIC ENAMEL PAINT Providing and applying synthetic enamel paint, at all heights of required shade and approved make on old work including the scrapping/cleaning and preparation of surfaces for painting, applying primer and putty, with two or more coats of approved first quality enamel.	50.00 smt		1.00 smt	
[c]	P/A APEX PAINT Providing and applying Apex paint (Asian Paint Advanced Anti Algal wheather proof emulsion) on New/Old surface at all heights and levels. Work includings preparation of surfae cleanning and scraping by wire brush.Filling cracks with "Rendroc cs"( fosroc) and applying coat of Hydroproof liquid mixed with white cement.Applying primer coat as per company specifications and apply 2 or more coats of paint to give uniform shed at all levels complete.	20.00 smt		1.00 smt	

ITEM NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs.	PER	AMOUNT Rs.
26.0	Providing and laying 3mm thick PVC tiles 30 cm x 30cm of approved make and shade on the existing flooring.	80.00		1.00 smt	
27.0	<b>P/A 12 MM THICK CEMENT PLASTER ON OLD WALL AND CEILING</b> Providing and applying 12mm thick finish cement plaster at all heights in 1:4 cement mortar to the walls, beams, ceiling, stair, column, pattias, patch work grooves including scaffolding, curing & finishing smooth. The plaster surface shall be rubbed with 'Iron plate'. till the  surfae shows cement paste in line and level complete as directed. Including dismantling existing plaster.cleaning the site and carting away debris at all levels. Its disposal also Rates includes removing switch board plates and refixing same after plastering.  Basement wall below toilet area 5200mm x 2768mm x 1no , ceiling patch	30.00		1.00 smt	

**Total Rs**

SIGNATURE AND SEAL OF CONTRACTOR




## LEGEND :

1	ATM	:	9'-1 ½" X 5'-0"
2	CUSTOMER AREA	:	400.00 sq feet
3	MANAGER	:	11'-4" X 8'-7"
4	OFFICER	:	4'-6" X 2'-6"
5	CLERK	:	4'-6" X 2'-6"
6	CASH CABIN	:	5'-0" X 8'-0"
7	OFFICER	:	4'-6" X 2'-6"
8	CLERK	:	4'-6" X 2'-6"
9	LADIES TOILET	:	EXISTING
10	GENTS TOILET	:	EXISTING

0.00 2 FT 4 FT 6 FT




DRG.NO. ALT - 04	DATE 12-11-2025	DRAWN BY SAJEDA	CHECKED V.V.T
PROPOSED FLOOR PLAN ( GROUND FLOOR )			
INTERIOR DESIGNING WORK FOR UCO BANK PALDI BRANCH, AHMEDABAD.			
<b>MESSRS VIRAT V. THAKORE</b>			
ARCHITECTS, URBAN DESIGNERS & VALUERS 98/1, SAMASTA SOCIETY, AHMEDABAD -380007.			



### LEGEND :

- 1 UPS : 4'-0" X 6'-0"  
 2 STRONG ROOM : 13'-1" X 10'-11"



DRG.NO. ALT - 03	DATE 17-01-2026	DRAWN BY SAJEDA	CHECKED V.V.T
PROPOSED FLOOR PLAN ( BASEMENT )			
INTERIOR DESIGNING WORK FOR UCO BANK PALDI BANK, AHMEDABAD.			
<b>MESSRS VIRAT V. THAKORE</b>			
ARCHITECTS, URBAN DESIGNERS & VALUERS 98/1, SAMASTA SOCIETY, AHMEDABAD -380007.			